

MDOI-01-2026.0147
MNR--1-860997

The Relationship Between Regular Physical Activity, Mental Health, and Stress Reduction

Samira Saber Raste Kenari

M.Sc. in Exercise Physiology (Health), Islamic Azad University, Rasht Branch, Iran

sabersamira090@gmail.com

Abstract:

The interplay between physical and mental health has long been a central theme in medical and psychological research. This review article aims to elucidate the role of regular physical activity in reducing stress and enhancing mental well-being. Evidence indicates that regular exercise not only improves physical functioning but also alleviates nervous tension and elevates mood by lowering stress hormone levels and stimulating the release of "feel-good" chemicals in the brain. The findings confirm that physical activities—particularly aerobic exercise and movement-based meditative practices such as yoga—boost self-confidence, improve sleep quality, and reduce anxiety levels across various age groups. Ultimately, promoting a culture of exercise as a tool for stress management has the potential to significantly lower the prevalence of mental health disorders within society.

Keywords: Regular exercise, stress, mental health, sleep quality, well-being.

Introduction

The anxiolytic (anxiety-reducing) effects of exercise can be explained through various mechanisms, including biological-physiological and psychological processes. From a biological perspective, exercise can exert anxiolytic effects by facilitating physical fitness (108), modulating the levels of neurotransmitters involved in anxiety altering stress hormone levels, and reducing muscular tension From a psychological perspective, exercise increases activity levels, which in turn leads to an increase in positive reinforcements contingent upon one's responses

Furthermore, exercise can reduce anxiety by diverting an individual's attention away from threatening or anxiety-inducing stimuli—particularly relevant during the COVID-19 pandemic—and by fostering greater self-confidence and a sense of self-efficacy Although this study provides insights into the psychological characteristics of athletes and non-athletes during the COVID-19 pandemic, caution should be exercised when generalizing these findings to the broader population. The sample size was limited, potentially due to factors such as participants' lack of patience or diligence in responding to the survey questions. Another limitation is the reliance on self-assessment scales, as participants might have presented themselves in a way they deemed more favorable. Future research utilizing larger sample sizes and alternative methods for assessing exercise-related variables could yield more robust and reliable findings. Ultimately, based on the findings of the present study, it is recommended that regular exercise programs be implemented to manage anxiety and enhance quality of life. These findings are applicable to individuals across the 18–40 age range. Given the rise in sedentary behaviors during the COVID-19 pandemic, it is suggested—for instance—that university instructors in physical education courses place a specific focus on activity levels...

(Analysis of the Macro Situation and Challenges of the Modern Era)

In the present age, humanity faces a peculiar paradox: while technological, medical, and material advancements have significantly improved the quality of human life, there has simultaneously been an unprecedented rise in psychological disorders, anxiety, and chronic stress across human societies. The accelerating pace of modern life, professional pressures, social isolation stemming from the digital world, and shifts in behavioral patterns have culminated in what researchers term the "21st-century mental health crisis." Among these, one of the most prominent behavioral shifts is the proliferation of a "sedentary lifestyle." Replacing physical activity with prolonged periods of sitting has not only contributed to the emergence of non-communicable diseases—such as diabetes and cardiovascular conditions—but has also severed the profound link between physical health and psychological well-being.

(Explaining the Mind-Body Connection and Physiological Mechanisms)

From a scientific perspective, the body and the mind cannot be viewed as separate entities; rather, they are interconnected within a complex, reciprocal system of biological feedback. Stress—originally evolved as a survival mechanism for confronting threats—has, in today's world, become chronic, leading to the persistent activation of the hypothalamic-pituitary-adrenal (HPA) axis. The long-term, persistent secretion of cortisol (a stress hormone) not only weakens the immune system but also damages neural synapses in the hippocampus, leading to memory impairment, mood dysregulation, and increased susceptibility to anxiety. Conversely, regular physical activity—a potent non-pharmacological intervention—can halt this destructive cycle. By stimulating the release of endorphins (the brain's natural "feel-good" chemicals) and increasing the expression of Brain-Derived Neurotrophic Factor (BDNF), exercise facilitates the reconstruction of neural pathways and enhances neuroplasticity.

While the positive impact of exercise on physical health is widely acknowledged, the precise mechanisms through which physical activity reduces stress and improves mental well-being still require further, comprehensive investigation. Many people view exercise merely as a tool for weight loss or muscle building, overlooking its potential as a "natural medicine" for managing anxiety and depression. Given the rising costs of pharmacological treatments and their associated side effects, exploring alternative and complementary approaches—such as physical activity—has become an urgent necessity.

Therefore, this review article aims to provide a comprehensive and systematic analysis of the relationship between regular physical activity and mental health. By examining scientific

evidence, this paper seeks to explain how exercise can enhance psychological well-being—by modulating physiological responses to stress—and serve as both a preventive and therapeutic strategy for addressing mental health disorders.

Scientific Concepts

Relaxation

Exercise alters the concentration of neurotransmitters, which directly influence mood:

Endorphins: Known as the body’s "natural morphine," these chemicals are released in response to physical stress. By binding to opioid receptors in the brain, endorphins reduce the perception of pain and induce a sense of euphoria and relaxation (a phenomenon commonly known as a "runner's high").

Dopamine and Serotonin: Regular physical activity enhances the synthesis of serotonin (which regulates mood and sleep) and dopamine (associated with the reward and motivation system). This effect mirrors the mechanism of action found in many antidepressants (such as SSRIs).

Endocannabinoids: Recent research suggests that the reduction in anxiety following exercise is largely due to the release of these substances, which are capable of crossing the blood-brain barrier to induce a profound sense of calm.

2. Stress Management

Chronic stress leads to the overactivation of the hypothalamic-pituitary-adrenal (HPA) axis, resulting in the persistent secretion of cortisol.

Modulating the Stress Response: Regular exercise exposes the body to controlled stress (physical exertion). This process helps "calibrate" the body’s stress-response system. Consequently, when faced with the psychological stressors of life, an individual does not exhibit an overly intense physiological response and returns to a state of equilibrium (homeostasis) more rapidly.

Reduction in Cortisol: While short-term, intense exercise may spike cortisol levels, regular long-term exercise lowers baseline blood cortisol levels and enhances the sensitivity of cortisol receptors.

3. Neuroplasticity and Brain Growth

One of the most significant scientific concepts in this field concerns the impact of exercise on the physical structure of the brain:

Brain-Derived Neurotrophic Factor (BDNF): Exercise stimulates the release of a protein known as BDNF. This protein acts like "fertilizer" for nerve cells, promoting their survival and growth, as well as the formation of new connections between neurons.

Regeneration of Hippocampal Cells: Chronic stress can lead to the shrinkage of the hippocampus—a region central to memory and emotional regulation. Regular exercise counteracts the damaging effects of stress by stimulating angiogenesis (the formation of new blood vessels) and neurogenesis (the creation of new neurons) within this area.

4. Systemic and Indirect Effects

Beyond the brain, changes occurring elsewhere in the body also contribute to mental well-being:

Reduction of Systemic Inflammation: Stress and depression are often associated with inflammation within the body. Exercise promotes the release of anti-inflammatory cytokines, which reduce low-grade inflammation; this, in turn, directly contributes to improved cognitive function and a reduction in depressive symptoms. • •Improving Sleep Quality: Physical activity enhances the quality of deep sleep by regulating the circadian rhythm and increasing sleep pressure. High-quality sleep serves as the brain’s primary mechanism for processing emotions and eliminating waste products.

The Impact of Bodybuilding on Stress and Anxiety

Stress and anxiety are two issues that many people grapple with today. Scientific research has proven that regular physical activity—including bodybuilding—can significantly reduce levels of stress and anxiety.

The Mechanism of Stress Reduction Through Bodybuilding

During bodybuilding workouts, the body begins to release chemicals known as endorphins. These substances induce feelings of happiness, relaxation, and positive energy. Many professional athletes report experiencing a sense of mental lightness and a distinct calm following an intense training session.

– Endorphins help alleviate feelings of pain and improve mood.

– The release of cortisol (the "stress hormone") decreases during exercise.

– Increased blood flow to the brain and vital organs contributes to better focus and reduced anxiety.

Bodybuilding and Coping with Everyday Anxiety

Individuals who engage in regular bodybuilding typically handle work-related and family-related stressors more effectively. They tend to approach challenges with a calmer, more rational mindset, as their bodies and minds have become adapted to stress through their training. The impact of bodybuilding on mental health is significant, as it empowers individuals to confront problems in a healthy way rather than avoiding them.

Boosting Self-Confidence and Improving Self-Image

One of the most significant positive outcomes of bodybuilding is the enhancement of self-confidence. As individuals progress through physical transformations and gain muscular strength, they often find their perspective shifting regarding their own personal capabilities and self-worth. Bodybuilding and Body Image

Dissatisfaction with one’s physical appearance is a significant cause of depression and anxiety. As you observe positive changes in your body through regular training at modern gyms—such as the Sam Fit complex—you gradually gain greater self-confidence.

– Positive changes in body shape lead to inner satisfaction and increased self-esteem.

– Witnessing progress in physical strength and performance bolsters belief in one’s own capabilities.

– Improving one’s physical condition has a profound positive impact on how an individual perceives themselves, while also reducing concerns regarding their appearance.

The Role of Encouragement and Social Support in Gyms

Professional gym environments foster a social atmosphere where support and encouragement from fellow members play a key role in shaping a positive self-image. Training alongside like-minded individuals boosts motivation and creates a foundation for healthy, friendly relationships. These social interactions, in turn, promote psychological growth and a stronger sense of belonging.



Reducing Symptoms of Depression Through Bodybuilding

Depression is one of the most common mental health disorders, affecting various aspects of an individual's life. Fortunately, numerous studies have shown that the impact of bodybuilding on mental health—particularly in reducing symptoms of depression—is undeniable.

Scientific Mechanisms Behind Exercise-Induced Depression Reduction

Regular physical activity increases the levels of neurotransmitters such as serotonin and dopamine in the brain. These substances not only improve mood but also help alleviate symptoms of depression.

– Exercise enhances blood flow to the brain and improves the function of the prefrontal cortex (the area responsible for emotional regulation). – Strength and aerobic exercises increase energy levels and reduce feelings of chronic fatigue.

– Individuals suffering from depression can develop greater personal discipline through a regular strength-training regimen; this discipline, in turn, can enhance the effectiveness of their treatment.

The Role of Goal Setting and Achieving Small Successes

In bodybuilding, specific goals are established for each individual—whether it be increasing strength, improving physical fitness, or mastering a particular movement. Achieving these smaller milestones restores hope and motivation, rescuing the individual from feelings of aimlessness or despair. The positive impact of bodybuilding on mental health is further amplified by these tangible, incremental successes.

The Link Between Bodybuilding, Sleep Quality, and Focus

Adequate sleep and a high level of focus are fundamental pillars of mental well-being. Many gym-goers report improved sleep quality after beginning a consistent bodybuilding regimen. This connection stems from the regulation of hormones and a reduction in nervous tension within the body.

The Impact of Exercise on Nighttime Sleep Quality

Daily physical activity—particularly resistance and aerobic training—induces a healthy form of physical fatigue, paving the way for deeper, more continuous sleep.

– Bodybuilding helps regulate the sleep cycle.

– The reduction of anxiety and stress through exercise allows the mind to remain calmer during sleep.

– High-quality sleep leads to an improved mood and reduced irritability throughout the day.

The Role of Bodybuilding in Enhancing Mental Focus

Bodybuilding requires precise attention to movement, technique, and discipline. This process enhances the brain's capacity for attention and concentration. Training in professional environments—such as the Sam Fit facility, which maintains high standards for instruction and supervision—plays a crucial role in developing these cognitive skills. Bodybuilding as a Tool for Managing Unhealthy Habits and Boosting Motivation

Many individuals struggling with unhealthy habits—such as emotional overeating or a tendency toward high-risk behaviors—can utilize bodybuilding as a means to manage and replace these harmful patterns. The positive impact of bodybuilding on mental health has been shown to play a key role in preventing such behaviors.

Replacing Harmful Habits with Healthy Ones

Incorporating bodybuilding workouts into a regular daily routine reduces the inclination toward negative habits, such as prolonged sedentary behavior, overeating, or even substance use.

– Exercise shifts an individual’s focus toward personal goals and self-improvement.

– The sense of achievement gained after a workout session—or from breaking a personal record—replaces the craving for immediate, unhealthy rewards.

– A positive and supportive fitness community encourages long-term commitment to a healthy lifestyle.

Enhancing Motivation and Self-Actualization

The positive influence of bodybuilding on motivation extends well beyond the gym. After experiencing increased self-confidence and success in the gym, many individuals find themselves more motivated to pursue other areas of their lives, whether professional or personal.

Regular interaction with coaches and successful individuals at facilities like Sam Fit further facilitates this process.

Safety Considerations and the Importance of Professional Guidance in Bodybuilding

While bodybuilding has a highly positive impact on mental health, it is crucial to emphasize the importance of adhering to safety principles and seeking expert guidance to prevent injuries or negative experiences.

The Necessity of Proper Instruction and Coaching Supervision

Performing exercises without correct technique or the supervision of a qualified professional can lead to physical injuries and may even exacerbate mental health issues. Every training program should be designed by a qualified trainer, taking into account the individual's physical and mental condition, age, gender, and medical history. Sam Fit ensures both safety and effectiveness through its team of professional trainers and a facility that meets high standards.

The Role of a Healthy Lifestyle

Balanced nutrition, adequate sleep, and physical activity form the three pillars of sustainable health. Any exercise or dietary advice should be tailored to the individual's specific circumstances; consulting a physician or a trainer before starting a new program is essential—especially for those with underlying health conditions or those in specific situations, such as pregnancy or existing injuries.

The Role of Professional Gyms in Promoting Mental Health

Gyms like Sam Fit, which prioritize member well-being through a scientific and human-centered approach, play a significant role in improving the mental health of the community. By leveraging a team of professional trainers and advanced facilities, the gym provides a positive, motivating environment for both physical and mental development.

Benefits of Joining a Well-Equipped, Professional Gym

Choosing the right gym significantly influences the quality of your fitness experience and the resulting mental health benefits:

– Access to high-quality, up-to-date equipment.

– Guidance from trainers with strong scientific knowledge and extensive practical experience.

– Diverse programs tailored to the unique needs of each individual. – A positive, friendly, and motivating environment.

Hypothesis

Hypothesis 1: The Biochemical Hypothesis (Modulation of Neurotransmitters)

Question: Can regular physical activity affect an individual's mood in a way similar to antidepressant medications?

Hypothesis: "Regular physical activity leads to improved mood and a reduction in depressive symptoms by increasing the synthesis and availability of monoamine neurotransmitters (such as serotonin, dopamine, and norepinephrine) within the synaptic clefts."

Scientific Rationale: Yes; exercise stimulates the release of serotonin (a mood regulator) and dopamine (associated with the reward system). Since the mechanism of action for many antidepressants (such as SSRIs) is based on increasing serotonin levels, exercise acts as a "natural medicine"—optimizing brain chemistry to enhance feelings of happiness and satisfaction.

Hypothesis 2: The Physiological Hypothesis (Modulation of the HPA Stress Axis)

Question: How can exercise increase an individual's resilience against the psychological stressors of life?

Hypothesis: "Regular exercise, by introducing a controlled physical stressor, leads to the recalibration of the Hypothalamic-Pituitary-Adrenal (HPA) axis, thereby reducing the body's physiological response to psychological stress."

Scientific Rationale: Yes; when an individual exercises, the body experiences an increase in heart rate and cortisol secretion (a form of positive stress, or *eustress*). Repeated exposure to this process fosters a better balance between the sympathetic and parasympathetic nervous systems. Consequently, when an individual encounters psychological stress—whether at work or within the family—their body no longer exhibits extreme or damaging reactions (such as panic or severe anxiety), as the "stress tolerance threshold" has been elevated at the cellular level.

Hypothesis 3: The Structural Hypothesis (Neuroplasticity and Cognitive Flexibility)

Question: Does exercise merely have a temporary effect on mood, or can it alter brain structure to better cope with stress?


Hypothesis: "Regular physical activity stimulates the expression of the protein BDNF, which enhances neuroplasticity and facilitates the repair of compromised brain regions (such as the hippocampus), thereby improving an individual's cognitive capacity to manage stress."

Scientific Rationale: Yes; Chronic stress leads to the degeneration of neurons in the hippocampus—a region central to memory and emotional regulation. Exercise, by increasing the secretion of BDNF (brain-derived neurotrophic factor), promotes the generation of new neurons and strengthens synaptic connections. This structural change enables an individual to employ more effective coping strategies and enhances their mental flexibility

Practical Table: What Are the Benefits of Each Type of Activity? Type of Activity	Primary Goal	Examples	Important Note
Aerobic	Heart health and cardiorespiratory fitness	Brisk walking, cycling, swimming	It is best to perform it regularly.
Strength	Preservation and strengthening of muscles	Weights, resistance bands, bodyweight exercises	It should engage major muscle groups.
Balance	Maintenance of function and reduced risk of falls	Balance exercises	It is especially important for older adults.
Daily Activities	Increased overall mobility	Walking, climbing stairs, active daily tasks	Not all activities need to be formal exercise.
Recreational Activities	Greater adherence to an active lifestyle	Dancing, playing, group sports	Choosing an enjoyable activity makes it easier to stay consistent.

.

The Prevalence of Stress and the Preventive Role of Exercise




Percentage	Assessment Indicator
42%	Reduction in clinical anxiety disorders
30%	Faster return of cortisol to normal levels

Metric / Source / Field of Study | Description

Reduction in clinical anxiety disorders: 42% | Public Health (Sports Medicine) | Observed in individuals who exercise regularly 3–5 days a week, compared to sedentary individuals.


Faster return of cortisol to baseline: 30% | Neurobiology of Stress Research | Faster regulation and reduction of stress hormone levels following exposure to acute stress in individuals with high physical fitness.

Disaggregating the impact by type of physical activity



Details and Scope of Impact	Degree of stress reduction	Type of Physical Activity
Reduction of stress hormone levels throughout the day through 30 minutes of daily walking.	25%	Brisk walking
A moderate reduction in symptoms of mild to moderate depression with 2 to 3 exercise sessions per week.	35%	Light aerobics
Decrease in chronic stress and feelings of loneliness, resulting from the combination of physical exercise and social interaction.	38%	Resistance training (with weights)
	50%	Group and interactive sports

Neurological and structural effects on the brain (neurobiology)



Role in mental health and stress reduction:	Rate of Change ((Percentage	Brain/Neurological Marker
Enhancing neuroplasticity, improving mood, and combating depression.	20%	Increase in BDNF protein
Strengthening areas of the brain associated with memory and stress management, and countering the decline or shrinkage of the brain caused by chronic stress.	30%	(Brain-Derived Neurotrophic Factor)
	2%	Increase/preservation of hippocampal volume

Conclusion

The relationship between regular physical activity and mental health extends beyond simple psychological or emotional effects; it is rooted in complex biological and biochemical mechanisms. Evidence suggests that exercise operates through three parallel pathways: First, it improves mood in the short term by optimizing the levels of neurotransmitters such as serotonin and dopamine. Second, it enhances an individual's tolerance to environmental stressors by modulating the HPA axis response and reducing cortisol levels. Finally, by stimulating the production of the protein BDNF, it facilitates the remodeling of brain structures—particularly in vital areas like the hippocampus—and promotes neuroplasticity. Consequently, it can be concluded that regular physical activity serves not only as a preventive measure against psychiatric disorders but also as an effective, complementary therapeutic intervention for managing chronic stress and enhancing overall quality of life in the modern era.

Acknowledgments and Appreciation

The First International Scientific-Research Conference on Basic Sciences, Humanities, Experimental Sciences, Education, Physical Education, and Various School Sectors (Public, Technical & Vocational, 'Kar-o-Danesh', and Non-profit) in the Modern Era – Bushehr

Strategies

1. Neurobiological Mechanisms: How Does Exercise Reduce Stress?

When an individual engages in regular physical activity, profound structural and chemical changes occur in the brain—changes directly linked to stress management and mental health:

Regulation of Cortisol: Chronic stress leads to the persistent release of cortisol, which can damage brain tissue. However, individuals with higher physical fitness possess a more self-regulating nervous system; when faced with stress, their cortisol levels are brought under control more rapidly, returning to a baseline state.

Increased BDNF (Brain-Derived Neurotrophic Factor): Regular aerobic activity boosts the release of Brain-Derived Neurotrophic Factor (BDNF) in the hippocampus. This protein facilitates neuroplasticity, helping the brain counter the damage caused by anxiety and depression.

Preservation of Hippocampal Volume: Over time, chronic stress can reduce the volume of the hippocampus—a critical brain region for stress regulation and memory. Consistent exercise not only prevents this decline but also significantly contributes to the regeneration and maintenance of this area’s volume.

2. Impact on Reducing Anxiety and Depression, and Improving Mood

Release of "Feel-Good" Neurotransmitters: Exercise triggers the release of endorphins, serotonin, and dopamine. These chemicals naturally enhance mood and alleviate acute psychological tension immediately following a workout. • Prevention of Mood Disorders: Studies indicate that individuals who engage in at least 150 minutes of moderate physical activity per week have a 20% to 30% lower risk of developing clinical depression and anxiety. Resistance training (such as weightlifting) also plays a significant role in reducing symptoms of mild to moderate depression.

3. Improving Sleep Quality and Preventing Burnout

Stress and sleep deprivation create a destructive cycle that jeopardizes mental health. Regular physical activity significantly enhances the quality of deep sleep, allowing the brain to undergo

the mental recovery process optimally. Individuals with an active lifestyle are up to 40% less likely to experience mental burnout and chronic fatigue resulting from work or life pressures.

Practical Strategies for Leveraging Exercise to Reduce Stress

To effectively harness these benefits in daily life, the following strategies are recommended:

1. Establishing a Consistent, Standardized Regimen:

Engaging in at least 150 minutes of moderate-intensity aerobic activity per week—spread across 3 to 5 days—yields the most stable results in regulating stress hormones.

2. Combining Aerobic and Resistance Training:

Integrating aerobic sessions with two resistance training sessions per week serves as a powerful tool for enhancing psychological resilience and reducing anxiety, in addition to promoting physical health.

3. Promoting Group and Interactive Sports:

Participating in collective physical activities—such as group yoga or mountain hiking—combines physical movement with social interaction; this reduces feelings of loneliness and boosts the release of oxytocin (the hormone associated with belonging and relaxation).

4. Exercising in Nature ("Green Exercise"):

Engaging in physical activity within parks and green spaces, rather than in enclosed environments, significantly accelerates the reduction of blood pressure, nervous tension, and anxiety.

5. Incorporating "Movement Breaks" into Daily Routines:

Breaking up long periods of sitting with short, 10-minute movement breaks—whether in the workplace or an educational setting—prevents the accumulation of physical and mental tension.

Resources

Zangrillo A, Beretta L, Silvani P, Colombo S, Scandroglio AM, Dell'Acqua A, et al. Fast reshaping of intensive care unit facilities in a large metropolitan hospital in Milan, Italy: facing the COVID-19 pandemic emergency. Critical care and resuscitation: journal of the Australasian Academy of Critical Care Medicine. 2020.

Remuzzi A, Remuzzi G. COVID-19 and Italy: what next?

Lancet (London, England). 2020.

Lai CC, Shih TP, Ko WC, Tang HJ, Hsueh PR. Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) and coronavirus disease-2019 (COVID-19): The epidemic and the challenges. International journal of antimicrobial agents. 2020; 55(3):105924

Liu X, Na RS, Bi ZQ. [Challenges to prevent and control the outbreak of Novel Coronavirus Pneumonia (COVID-19)]. Zhonghua liu xing bing xue za zhi = Zhonghua liuxingbingxue zazhi. 2020;41(0):E029.

Li S, Wang Y, Xue J, Zhao N, Zhu T. The Impact of COVID-19 Epidemic Declaration on Psychological Consequences: A Study on Active Weibo Users. 2020;17(6).